

→*PRICE LIST*←

—OF—

GENUINE

“D. R. BARTON”

Planes, Edge Tools, &c.

MADE ONLY BY

MACK & CO.

18 BROWN'S RACE,

ROCHESTER, N. Y.



ALL TOOLS STAMPED AS ABOVE ARE FULLY WARRANTED.

GOODS WILL NOT BE SENT "C. O. D."

H. D. BRYAN, PRINTER, ROCHESTER, N. Y.

~~"K. O. D."~~

Blair

PLEASE READ THE FOLLOWING:

DIRECTIONS FOR ORDERING TOOLS.

Designate the tools by the name used in the Catalogue and give the Catalogue numbers.

Goods will not be sent C. O. D. All orders must be accompanied by Draft on New York, Post Office Order or Cash in Registered Letter.

WARRANTY.

Our Tools are warranted free from flaws and not too soft, and defective tools, when returned to us express or freight prepaid, will be made good or replaced by new ones. Goods which show evidence of having been a long time in use, and are nearly worn out, will not be taken back on warranty.


PRICE LIST

—OF GENUINE—

"D. R. BARTON" EDGE TOOLS.

PLANES.

All *genuine* D. R. Barton Planes are made from second-growth white beech, thoroughly air-seasoned, and the irons are guaranteed to be the best in the world. Every iron is fully warranted. See that our trade mark is on each wood and on the iron.




SMOOTH PLANES—2 to 2½ inch Iron.

- | | |
|---|--------|
| 1, Smooth Plane, single iron | \$0.60 |
| 2, Smooth Plane, double iron..... | .90 |
| 2a, Smooth Plane, double iron, appletree..... | 1.25 |




- | | |
|---|--------|
| 2b, Smooth Plane, double iron, handled..... | \$1.50 |
| 3, Smooth Plane, double iron, solid handle..... | 1.75 |
| 3a, Smooth Plane, double iron, solid boxwood..... | 2.50 |
| 3b, Smooth Plane, double iron, solid boxwood, handled | 5.00 |
| 3c, Smooth Plane, double iron, rosewood | 2.25 |
| 3d, Smooth Plane, double iron, rosewood, handled | 4.00 |


JACK PLANES—2 to 2½ inch Iron.



- 4, Jack Plane, single iron \$0.75
 5, Jack Plane, double iron 1.00



- 4a, Jack Plane, single iron, razee 1.00
 5a, Jack Plane, double iron, razee 1.20
 6, Fore Plane, or Short Jointer, single iron 1.10
 7, Fore Plane, or Short Jointer, double iron 1.40
 6a, Fore Plane, or Short Jointer, single iron, razee 1.30
 7a, Fore Plane, or Short Jointer, double iron, razee 1.60
 8, Long Jointer, 26 inches, single iron 1.20
 9, Long Jointer, 26 inches, double iron 1.50
 9b, Long Jointer, 28 inches, double iron 1.60
 9c, Long Jointer, 30 inches, double iron 1.75
 8a, Long Jointer, 26 inches, single iron, razee 1.40
 9a, Long Jointer, 26 inches, double iron, razee 1.70



- 10, Mitre, or Block Plane, square, single iron, 1⅞ inches \$0.75
 10a, Mitre, or Block Plane, oval, single iron, 1⅞ inches 75
 11, Mitre, or Block Plane, square, double iron, 1⅞ inches 1.00
 11a, Mitre, or Block Plane, oval, double iron, 1⅞ inches 1.00
 Bench Planes, 4 in set, double iron 4.80
 Bench Planes, 4 in set, double iron, razee 6.30
 Premium Polished Bench Planes, 4 in set 9.30

MATCH PLANES.




- 12, Match Planes, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inch.....per pair, \$1.25
 13, Match Planes, plated, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inch.....per pair, 1.50


MATCH PLANES AND BEADS.



- 14, Match Planes, handled, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inch.....per pair, \$2.00
 15, Match Planes, handled, plated, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inch.....per pair, 2.25
 16, Match Planes, handled, $1\frac{1}{4}$, $1\frac{1}{2}$ inches.....per pair, 2.25
 17, Match Planes, handled, plated, $1\frac{1}{4}$, $1\frac{1}{2}$ inches.....per pair, 2.50




- 18, Match Planes, handled, moving fence, plated.....per pair, \$2.75
 19, Match Planes, handled, applewood screw arms, plated..per pair, 3.75



- 20, Beads, single boxed.

$\frac{1}{8}$,	3-16,	$\frac{1}{4}$,	5-16,	$\frac{3}{8}$,	7-16,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$ inch.
.50	.50	.50	.50	.50	.50	.50	.55	.55	.70	.70	.90	1.00



- 21, Beads, double boxed.

$\frac{1}{8}$,	3-16,	$\frac{1}{4}$,	5-16,	$\frac{3}{8}$,	7-16,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$ inch.
.60	.60	.60	.60	.60	.60	.60	.65	.65	.80	.80	1.00	1.10

22, Beads, solid box, dovetailed.


$\frac{1}{8}$,	3-16,	$\frac{1}{4}$,	5-16,	$\frac{3}{8}$,	7-16,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1 inch.
.70	.70	.70	.70	.80	.80	.80	.90	.90	1.00	1.00



23, Center Beads.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1 inch.
.60	.60	.60	.60	.65	.65	.75	.75

RABBET PLANES.




24, Skew Rabbets.

$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{8}$,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 inch.
.60	.60	.60	.60	.60	.65	.65	.70	.80	.90





25, Square Rabbets.

$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{8}$,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 inch.
.60	.60	.60	.60	.60	.65	.65	.70	.80	.90

26, Jack Rabbets, 1 spur, 2, $2\frac{1}{4}$, $2\frac{1}{2}$ inches.....each, \$1.5027, Jack Rabbets, 2 spurs, 2, $2\frac{1}{4}$, $2\frac{1}{2}$ inches each, 1.70


28, Side Rabbets..... per pair, 1.25

GROOVING PLOWS, (All Screw Stop.)



- 29, Beech Plow, box arms, 8 irons\$5.60
 30, Beech Plow, handled, box arms and fence, 8 irons..... 7.00
 31, Beech Plow, handled, box arms, 8 irons 6.75
 32, Boxwood Plow, not handled, 8 irons..... 7.00
 33, Boxwood Plow, handled, 8 irons 9.00
 34, Rosewood Plow, handled, 8 irons 9.00
 35, Rosewood Plow, not handled, 8 irons 8.00
 36, Rosewood Plow, handled, ivory bands and tips, 8 irons..... 13.50
 Boxwood Plow Arms.....per pair, 1.75

FILLETTSTERS.




- 39, Fillettster, side stop\$1.25
 40, Fillettster, side stop, box-faced..... 1.50
 41, Fillettster, screw stop, box-faced..... 2.50




- 42, Fillettster, screw stop, box faced, handled.....\$3.75
 43, Fillettster, screw stop, box-faced, handled, screw arms 4.50

MOULDING TOOLS.



- 44, Quarter Rounds.

$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$ inch.
.50	.50	.50	.50	.65	.65	.65	.70



45, Stair Coves, or Scotias.

$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$ inch.
.50	.50	.50	.50	.65	.65	.65	.70



46, Sash Plane, (oval or bevel,) 2 irons.....\$1.00

47, Sash Plane, (oval or bevel,) moving, 2 irons..... 1.75

48, Sash Plane, (oval or bevel,) screw arms, boxed..... 2.25

49, Coping Plane, (oval or bevel,) single..... .45

50, Coping Plane, (oval or bevel,) double 75



51, Hollows and Rounds, to No. 12.....per pair, .75

Hollows and Rounds, No. 14 to 18..... per pair, 1.00

Hollows and Rounds, No. 20 to 24 per pair, 1.10

Hollows and Rounds..... per set of 9 pairs, 7.20

Hollows and Rounds, skewed irons.....per set of 9 pairs, 9.50



52, Grecian Oval and Bevel.


$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1 inch.
.70	.75	.80	.85	.95	1.05

53, Grecian Ogee.

$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1 inch.
.60	.65	.75	.75	.90	1.00



54, Table Planes, with gauge.....per pair, \$1.10



55, Table Planes, with fence.....per pair, \$1.40



56, Base Planes, or Ogee and Bevel.

$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1	inch.
.75	.80	.90	1.00	1.10	1.25	



57, Reverse Ogee, or Lamb's Tongue.

$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1 inch.
.75	.75	.80	.85	.90	1.10	1.25


Roman Ogee Com. and with fence, same price as Reverse Ogee.

58, Tooth Planes.....\$1.00

59, Tenoning Planes.....2.50



60, Whip Planes, steel face.....\$1.50



61, Carriage Makers' Smooth Planes.....\$0.90




62, Carriage Makers' T Planes.....\$0.90




63, Carriage Makers' Rabbeting Planes.....\$1.00





64, Carriage Makers' Router, single iron.....\$1.50



65, Carriage Makers' Router, double iron.....\$3.00




66, Carriage Makers' Jarvis, double iron.....\$2.50



67, Nosing Planes, 1 iron.....\$1.00

68, Nosing Planes, 2 irons.....1.25



- 69, Dadoes, brass side stop, all sizes, $\frac{1}{4}$ to 1 inch.....\$1.10
 70, Dadoes, brass screw stop, all sizes, $\frac{1}{4}$ to 1 inch..... 1.50
 70a, Dadoes, brass screw stop, with solid handle, $\frac{1}{4}$ to 1 inch..... 2.50
 71, Panel Gauges, oval bars, 30 inches..... .50




- 72, Slitting Gauges, oval bars, handled.....\$1.00
 73, Slitting Gauges, oval bars, handled, brass rollers..... 1.25



- 74, Marking Gauges.....per dozen, \$1.00

BROAD AXES AND HAND AXES.



- 75, Broad Axes, No. 1, $6\frac{1}{2}$ to 8 lbs., $10\frac{1}{2}$ to 12 inch on cut \$2.75
 Broad Axes, No. 2, $5\frac{1}{2}$ to $6\frac{1}{2}$ lbs., 9 to $10\frac{1}{2}$ inch on cut 2.50
 Broad Axes, Pennsylvania Pattern, same price as above.
 Broad Axes, Canada Pattern, $9\frac{1}{2}$ to $10\frac{1}{2}$ lbs., 12 to 14 in. on cut. 3.75



76, Hand Axes, or Bench Hatchets.

No. 1, 7½ inches on cut, handled	\$1.85
No. 2, 7 inches on cut, handled	1.60
No. 3, 6½ inches on cut, handled	1.35
No. 4, 6 inches on cut, handled	1.25
No. 5, 5½ inches on cut, handled	1.20
No. 6, 5 inches on cut, handled	1.10
If Double Beveled, add	.15



78, Shingle Hatchets, solid cast steel, handled.

No. 1, .95;	No. 2, .90;	No. 3, .85.
-------------	-------------	-------------

78a, Shingle Hatchets, steel laid, handled.

No. 1, .70;	No. 2, .65;	No. 3, .60.
-------------	-------------	-------------

78b, Claw Hatchets, steel laid, handled.

No. 1, .80;	No. 2, .75;	No. 3, .70.
-------------	-------------	-------------

79, Half Hatchets, solid cast steel, handled.

No. 1, .95;	No. 2, .90;	No. 3, .85.
-------------	-------------	-------------

79a, Half Hatchets, steel laid, handled.

No. 1, .70;	No. 2, .65;	No. 3, .60.
-------------	-------------	-------------

With creased heads, add 5 cents.


80, Lath Hatchets, solid cast steel, handled.

No. 1, .90;	No. 2, .85;	No. 3, .80.
-------------	-------------	-------------

80a, Lath Hatchets, steel laid, handled.

No. 1, .75;	No. 2, .70;	No. 3, .65.
-------------	-------------	-------------

81, Lath Hatchets, new pattern, solid cast steel, handled\$1.05



83. Carpenters' Adzes.....\$2.00

DRAWING KNIVES.



For Adjustable Handle Drawing Knives add 10 cents.

85. Carpenters' Knives, razor blades, $1\frac{1}{4}$ inches wide, applewood handles, capped and ferruled.

6,	7,	8,	9,	10,	11,	12,	13,	14,	16 in.
.85	.95	1.00	1.10	1.20	1.25	1.35	1.45	1.50	1.70

86. Coach Knives, razor blades, $1\frac{1}{4}$ to $1\frac{1}{2}$ inches wide, applewood handles, capped and ferruled.

6,	7,	8,	9,	10,	11,	12,	13,	14,	16 in.
.95	1.00	1.10	1.20	1.25	1.35	1.45	1.50	1.60	1.75

87. Narrow Carriage Knives, blades $\frac{3}{4}$ to 1 inch wide, applewood handles, capped and ferruled.

6,	7,	8,	9,	10,	11,	12,	13,	14	inch.
.85	.95	1.00	1.10	1.20	1.25	1.35	1.45	1.50	

88. Wagon Makers' Knives, heavy blades, $1\frac{1}{4}$ to $1\frac{3}{4}$ inches wide, black walnut handles, capped.

6,	7,	8,	9,	10,	11,	12,	13,	14,	16 inch.
.95	1.00	1.10	1.20	1.25	1.35	1.45	1.50	1.60	1.75

88a. Carriage Body Knives, with 3 blades each, \$4.00

In ordering Body Knives, state size of blades wanted.

CHISELS, SLICKS AND GOUGES.



91, Corner Chisels,

Solid cast steel, hickory handles, with rings.

$\frac{1}{2}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{8}$,	$1\frac{1}{4}$,	inch.
\$1.20	1.25	1.35	1.45	1.50	1.65	

**92, Socket Framing Chisels,**

Hickory handles, with rings. The 1 inch is 8 in. long from shoulder.

$\frac{1}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$ inch.
.50	.55	.60	.65	.70	.70	.75	.80	.85	.95	1.00	1.20	1.35

93, Socket Framing Chisels,

Solid cast steel. The 1 inch is 8 inches long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$ in.
.70	.75	.80	.85	.90	.95	1.00	1.00	1.15	1.30	1.50	1.75	2.00	2.25

94, Carpenters' Slicks, T handle.

2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	inch.
\$1.85	2.10	2.50	3.00	

95, Carpenters' Slicks, socket handle.

2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	inch.
\$1.85	2.10	2.50	3.00	

96, Carpenters' Slicks, D handle.

2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	inch.
\$2.20	2.50	2.85	3.25	

**97, Socket Firmer Chisels,**

Solid cast steel, apple tree handles. The 1 in. is 6 $\frac{1}{2}$ in. long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2 in.
.35	.35	.40	.45	.50	.50	.55	.60	.65	.70	.75	.85

Assorted to 2 inches, 9 in set, \$5.25; 12 in set, \$6.00.

Beveled Back, extra, per dozen, \$1.50.

98, Coach Makers' Socket Firmers,

Solid cast steel, hickory handles. The 1 in. is 7 in. long from the shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2 in.
.55	.60	.65	.70	.75	.75	.85	.90	.95	1.00	1.10	1.20

Assorted to 2 inches, 9 in set, \$8.00; 12 in set, \$9.50.

Beveled Back, extra, per dozen, \$1.50.

99, Millwrights' Socket Firmers,

Heavy blades, solid cast steel, hickory handles. The 1 inch is 8 inches long from the shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	in.
.75	.75	.80	.85	.90	.95	1.00	1.00	1.15	1.30	
$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	in.
\$1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	

Assorted to 2 inches, 9 in set, \$10.00; 12 in set, \$12.50.

Beveled Back, extra, per dozen, \$3.00.

10 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.90	.90	.95	1.00	1.05	1.10	1.15	1.20	1.35	1.55	1.80	2.10
$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4 in.				
\$2.40	2.70	3.00	3.30	3.60	3.90	4.20	4.50				

Assorted to 2 inches, 9 in set, \$12.00; 12 in set, \$15.00.

12 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	in.
\$1.05	1.05	1.10	1.20	1.25	1.30	1.35	1.40	1.60	1.80	2.10	
2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	in.		
\$2.45	2.80	3.15	3.50	3.85	4.20	4.55	4.90	5.25			

Assorted to 2 inches, 9 in set, \$14.00; 12 in set, \$17.50.

100, Long Paring Socket Firmers,

Solid cast steel, appletree handles. Light blades, for Pattern Makers' use. The 1 inch is 8 inches long from the shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.55	.60	.65	.70	.75	.75	.85	.90	.95	1.00	1.10	1.20

Assorted to 2 inches, 9 in set, \$8.00; 12 in set, \$9.50.

Beveled Back, extra, per dozen, \$2.00.

10 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.70	.70	.75	.80	.85	.90	1.00	1.05	1.15	1.20	1.30	1.40

Assorted to 2 inches, 9 in set, \$9.60; 12 in set, \$11.40.

12 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.80	.85	.90	.95	1.00	1.05	1.15	1.25	1.30	1.40	1.55	1.65

Assorted to 2 inches, 9 in set, \$11.20; 12 in set, \$13.30.



FULL SWEEP.

MIDDLE SWEEP.

FLAT SWEEP.

For all Gouges made on special circles, add 25 per cent. to list.

101, Socket Firmer Gouges,

Solid cast steel, appletree handles. Outside Bevel. The 1 in. is $6\frac{1}{2}$ inches long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.45	.45	.50	.55	.60	.70	.75	.75	.85	.95	1.00	1.15

Assorted to 2 inches, 9 in set, \$7.00; 12 in set, \$8.50.

102, Coach Makers' Socket Firmer Gouges,

Solid cast steel, hickory handles. Outside Bevel. The 1 inch is 7 inches long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.60	.65	.70	.75	.80	.90	.95	1.00	1.15	1.20	1.25	1.35

Assorted to 2 inches, 9 in set, \$8.75; 12 in set, \$11.00.

103, Millwrights' Socket Gouges,

Solid cast steel, hickory handles. Inside Bevel. The 1 inch is 8 inches long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.80	.80	.85	.90	.95	1.05	1.15	1.25	1.30	1.45	1.60	1.90

Assorted to 2 inches, 9 in set, \$11.00; 12 in set, \$13.75.

10 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.95	.95	1.05	1.10	1.15	1.25	1.35	1.45	1.55	1.70	1.90	2.25

Assorted to 2 inches, 9 in set, \$13.20; 12 in set, \$16.50.

12 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
\$1.10	1.10	1.20	1.25	1.35	1.45	1.60	1.70	1.80	2.00	2.25	2.65

Assorted to 2 inches. 9 in set, \$15.40; 12 in set, \$19.25.

104, Long Paring Socket Firmer Gouges,

Solid-cast steel, appletree handles. For Pattern Makers' use. Inside bevel. The 1 inch is 8 inches long from shoulder.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.60	.65	.70	.75	.80	.90	.95	1.00	1.15	1.20	1.25	1.35

Assorted to 2 inches, 9 in set, \$8.75; 12 in set, \$11.00.

10 inch blades,

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.70	.75	.80	.85	.95	1.05	1.10	1.20	1.35	1.40	1.50	1.60

Assorted to 2 inches, 9 in set, \$10.50; 12 in set, \$13.20.

12 inch blades,

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.80	.85	.95	1.00	1.10	1.25	1.30	1.40	1.60	1.65	1.75	1.90

Assorted to 2 inches, 9 in set, \$12.25; 12 in set, \$15.40.

**107, Firmer Chisels,**

Solid cast steel. The 1 inch is 6 inches long from the bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.15	.15	.15	.20	.20	.20	.25	.25	.35	.45	.50	.60

Assorted to 2 in., 12 in set, \$3.30; assorted to 1 $\frac{1}{2}$ inch, 12 in set, \$2.50.

Handled, per dozen, extra, \$1.25.

Beveled Back, extra, per dozen, \$1.50.

108, Coach Firmer Chisels,

Solid cast steel. The 1 inch is 8 inches long from the bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.25	.25	.25	.30	.30	.35	.40	.45	.60	.75	.85	1.05

Assorted to 2 inches, 9 in set, \$4.35; 12 in set, \$5.80.

Handled, per dozen, extra, \$1.25.

Beveled Back, extra, per dozen, \$1.50.

109, Millwrights' Firmer Chisels,

Solid cast steel. The 1 inch is 9 inches long from the bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.30	.30	.35	.40	.45	.50	.55	.65	.80	1.00	1.20	1.50

Assorted to 2 inches, 9 in set, \$6.00; 12 in set, \$8.00.

Handled, per dozen, extra, \$1.25.

Beveled Back, extra, per dozen, \$2.00.

10 inch blades,

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	1 $\frac{1}{4}$,	1 $\frac{1}{2}$,	1 $\frac{3}{4}$,	2 in.
.35	.35	.40	.45	.50	.60	.65	.75	.95	1.20	1.40	1.70

Assorted to 2 inches, 9 in set, \$7.20; 12 in set, \$9.60.

12 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.40	.40	.45	.50	.60	.70	.75	.85	1.10	1.40	1.65	2.00

Assorted to 2 inches, 9 in set, \$8.40; 12 in set, \$11.20.

110, Long Paring Firmer Chisels,

Solid cast steel. The 1 inch is 9 inches long from the bolster.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.25	.25	.25	.30	.30	.35	.40	.45	.60	.75	.85	1.05

Assorted to 2 inches, 9 in set, \$4.35; 12 in set, \$5.80.

Handled, per dozen, extra, \$1.25.

Beveled Back, extra, per dozen, \$1.50.

Trowel Shank, extra, per dozen, \$1.50.

10 inch blades,


$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.30	.30	.30	.35	.35	.40	.45	.55	.70	.85	1.00	1.25

Assorted to 2 inches, 9 in set, \$5.25; 12 in set, \$6.95.

12 inch blades,

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 in.
.35	.35	.35	.40	.40	.45	.50	.60	.85	1.00	1.20	1.45


Assorted to 2 inches, 9 in set, \$6.10; 12 in set, \$8.15.

**111, Turning Chisels,**

Solid cast steel. 12 inches, full length.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
.25	.25	.30	.30	.35	.40	.40	.45	.55	.65	.80	.90	1.05	1.15

Assorted to 2 inches, 9 in set, \$4.25; 12 in set, \$5.65.

**112, Turning Gouges,**

Solid cast steel. 12 inches, full length.

$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$ in.
.35	.35	.35	.40	.40	.45	.50	.60	.75	.90	1.05	1.30	1.50	1.75

Assorted to 2 inches, 9 in set, \$6.00; 12 in set, \$7.50.

**113, Firmer Gouges,**

Solid cast steel, (full, middle or flat sweep.) Outside bevel. The 1 inch is 6 inches long from the bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 in.
.20	.20	.20	.25	.25	.25	.30	.30	.45	.50	.65	.75

Assorted to 2 inches, 9 in set, \$3.10; 12 in set, \$4.10.

Handled, per dozen, extra, \$1.25.

Gouges beveled inside, add, per dozen, 25 cents.

114, Coach Firmer Gouges,

Solid cast steel. Outside bevel. The 1 inch is 8 inches long from bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 in.
.40	.40	.40	.45	.45	.50	.55	.60	.80	.95	1.10	1.30

Assorted to 2 inches, 9 in set, \$6.35; 12 in set, \$8.00.

Handled, per dozen, extra, \$1.25.

Gouges beveled inside, add, per dozen, 25 cents.

115, Millwrights' Firmer Gouges,

Solid cast steel. Inside bevel. The 1 inch is 9 inches long from bolster.

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 in.
.45	.45	.50	.55	.60	.65	.70	.80	1.00	1.20	1.45	1.70

Assorted to 2 inches, 9 in set, \$8.75; 12 in set, \$10.50.

Handled, per dozen, extra, \$1.25.

10 inch blades,

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 in.
.50	.50	.55	.60	.70	.75	.80	.95	1.15	1.40	1.70	2.00

Assorted to 2 inches, 9 in set, \$10.50; 12 in set, \$12.60.

12 inch blades,

$\frac{1}{8}$,	$\frac{1}{4}$,	$\frac{3}{8}$,	$\frac{1}{2}$,	$\frac{5}{8}$,	$\frac{3}{4}$,	$\frac{7}{8}$,	1,	$1\frac{1}{4}$,	$1\frac{1}{2}$,	$1\frac{3}{4}$,	2 in.
.60	.60	.65	.75	.80	.90	1.00	1.10	1.35	1.65	2.00	2.35

Assorted to 2 inches, 9 in set, \$12.25; 12 in set, \$14.70.

116, Long Paring Firmer Gouges,

Solid cast steel. Inside bevel. The 1 inch is 9 inches long from bolster.

$\frac{1}{8}$, .40	$\frac{1}{4}$, .40	$\frac{3}{8}$, .40	$\frac{1}{2}$, .45	$\frac{5}{8}$, .45	$\frac{3}{4}$, .50	$\frac{7}{8}$, .55	1, .60	$1\frac{1}{4}$, .80	$1\frac{1}{2}$, .95	$1\frac{3}{4}$, 1.10	2 in., 1.30
------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	-----------	-------------------------	-------------------------	--------------------------	----------------

Assorted to 2 inches, 9 in set, \$6.35; 12 in set, \$8.00.

Handled, per dozen, extra, \$1.25.

Trowel shank, extra, per dozen, \$1.50.

10 inch blades,

$\frac{1}{8}$, .45	$\frac{1}{4}$, .50	$\frac{3}{8}$, .50	$\frac{1}{2}$, .50	$\frac{5}{8}$, .55	$\frac{3}{4}$, .60	$\frac{7}{8}$, .60	1, .70	$1\frac{1}{4}$, .95	$1\frac{1}{2}$, 1.10	$1\frac{3}{4}$, 1.30	2 in., 1.55
------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	-----------	-------------------------	--------------------------	--------------------------	----------------

Assorted to 2 inches, 9 in set, \$7.65; 12 in set, \$9.60.

12 inch blades,

$\frac{1}{8}$, .55	$\frac{1}{4}$, .55	$\frac{3}{8}$, .60	$\frac{1}{2}$, .60	$\frac{5}{8}$, .65	$\frac{3}{4}$, .70	$\frac{7}{8}$, .75	1, .85	$1\frac{1}{4}$, 1.10	$1\frac{1}{2}$, 1.30	$1\frac{3}{4}$, 1.55	2 in., 1.80
------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	------------------------	-----------	--------------------------	--------------------------	--------------------------	----------------


Assorted to 2 inches, 9 in set, \$8.90; 12 in set, \$11.20.

**117, Fluting Gouges for Carving,**

Set of 9, assorted, $\frac{1}{8}$ to 1 inch.....\$4.00

**118, Parting Tools for Carving,**

Set of 9, assorted, $\frac{1}{4}$ to $\frac{5}{8}$ inches.....\$5.00

**SHIP BUILDERS' TOOLS.**

209, Ship Adzes, 4 to $4\frac{1}{2}$ inch cut.....\$2.50

210, Ship Adzes, with side lips, to 5 inches..... 3.25

211, Ship Axes..... 3.00

212, Ship Mauls, steel face	per lb.	35
213, Ship Mauls, solid cast steel	per lb.	50
214, Calking Mallets, live oak, cast steel rings		2.50
215, Calking Irons, solid cast steel, 1, 2 and 3 crease		1.05
Making Irons, solid cast steel		1.05
Sharp Irons, solid cast steel		1.25
Deck Irons, solid cast steel		1.05
Clearing Irons, solid cast steel		1.05
Spike Irons, solid cast steel		1.05
Single Crook Irons, solid cast steel		1.25
Double Crook Irons, solid cast steel		1.25
222, Tooth Plane Irons		40
227, Plow Bits	per set of 8,	2.00


CAST STEEL PLANE IRONS.



Our Plane Irons are guaranteed to be the best made. They are carefully ground and are bright all over.

217, Single and Cut Irons, bright

$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	$2\frac{1}{8}$	$2\frac{1}{4}$	$2\frac{3}{8}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{3}{4}$	$2\frac{7}{8}$	3 in.
.25	.25	.25	.30	.30	.35	.40	.40	.45	.50	.55	.60



Our Double Plane Irons have a Cast Steel Cap.

218, Double Irons, bright, cast steel caps.

$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	$2\frac{1}{8}$	$2\frac{1}{4}$	$2\frac{3}{8}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{3}{4}$	$2\frac{7}{8}$	3 in.
.45	.55	.55	.55	.60	.60	.65	.70	.75	.85	.95	1.00



267, Barton's Hammer Saw Sets\$1.05

AUGERS, BITS AND BORING MACHINES.

268, Carpenters' Augers, solid cast steel.

$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	in.
.50	.55	.70	.75	.80	.90	1.00	1.20	1.45	1.70	

269, Millwright Augers, solid cast steel.

$\frac{1}{2}$	9-16	$\frac{5}{8}$	11-16	$\frac{3}{4}$	13-16	$\frac{7}{8}$	15-16	1	in.
\$1.00	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	
17-16	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3 in.
\$2.20	2.20	2.50	3.00	3.25	3.50	4.00	4.50	5.00	6.00

270, Boring Machine Augers, cast steel cut



4	5	6	7	8	quarters.
\$1.00	1.20	1.35	1.50	1.85	

275, Wood Top Angle Boring Machines each, \$6.25

276, Regular Boring Machines each, 4.75

280, Auger Bits, Jennings's Patent.

4	5	6	7	8	9	10	11	12	sixteenths.
.25	.30	.35	.40	.40	.45	.50	.55	.60	
13	14	15	16	17	18	19	20	sixteenths.	
.65	.70	.75	.80	.85	.90	.95	1.00		



282, Countersinks, for brace.....\$0.15

Countersinks, for brace, for wood..... .20

Rimmers, for brace, for wood..... .25

283, Rimmers, for brace, square..... .15

284, Screw Driver Bits..... .15

284a, Scratch Awls..... .12

284b, Socket Scratch Awls..... .20

Nail Sets..... .12



